



United States
Department of
Agriculture



National
Agricultural
Statistics
Service


Agricultural
Statistics
Board

Washington, D.C.

May 1996
Ct Gn 1 (96)

Cotton Ginnings

1995 Summary



Cotton Ginnings: Running Bales Ginned (Excluding Linters)
by Type, State, and United States, Crop Years 1992-95

Type and State	1992	1993	1994	1995
All Cotton				
AL	596,200	440,950	687,850	460,650
AZ	805,350	816,750	821,650	831,750
AR	1,645,650	1,101,500	1,766,950	1,452,900
CA	3,038,600	3,063,300	2,821,200	2,462,350
FL 1/	78,300	96,650		
GA	721,950	703,400	1,500,900	1,908,900
KS 1/ 2/	0		0	
LA	1,295,750	1,106,300	1,513,100	1,378,550
MS	2,074,350	1,510,050	2,083,350	1,806,850
MO	530,100	336,000	555,350	477,400
NM	58,150	72,950	68,250	69,700
NC	460,700	417,100	806,150	787,950
OK	204,150	257,100	232,400	117,250
SC	212,400	196,350	370,000	351,900
TN	812,650	529,200	863,250	713,150
TX	3,226,750	4,996,900	4,845,700	4,413,500
VA 1/	24,600			128,250
US	15,785,650	15,675,070	19,127,300	17,468,500
Amer-Pima				
AZ	134,150	84,550	78,150	70,750
CA	283,500	206,700	178,300	215,050
NM	13,100	12,850	14,100	13,900
TX	61,400	52,500	56,100	54,950
Other States	900	270	0	0
US	493,450	356,870	326,650	354,650

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

2/ No gins operated in 1992 and 1994 seasons.

Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound
Bales Ginned, by Type, State, and United States, Crop Years 1994-95

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	1994	1995	1994	1995
All Cotton				
AL	705,100	475,350	708,500	476,000
AZ	837,600	843,500	845,100	852,700
AR	1,739,800	1,449,050	1,799,200	1,471,450
CA	2,803,950	2,449,450	2,920,050	2,550,050
FL 1/	99,400	103,600		
GA	1,485,200	1,887,850	1,551,950	1,961,800
KS 1/ 2/	1,150	950	0	
LA	1,490,850	1,358,450	1,534,100	1,394,700
MS	2,080,500	1,800,750	2,132,700	1,846,000
MO	603,900	505,550	564,600	484,150
NM	92,400	89,400	69,600	70,000
NC	804,000	775,050	831,100	810,950
OK	238,400	118,950	239,050	120,450
SC	380,300	370,600	381,600	356,400
TN	868,450	712,950	878,900	724,000
TX	4,815,900	4,392,900	4,996,650	4,529,500
VA 1/	80,400	134,150		130,750
US	19,127,300	17,468,500	19,651,350	17,890,000
Amer-Pima				
AZ	77,800	70,300	80,700	72,650
CA	178,600	215,450	184,550	224,100
NM	18,950	18,500	14,500	14,150
TX	51,300	50,400	57,850	56,550
US	326,650	354,650	337,600	367,450

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

2/ No gins operated in 1994 season.

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 1995

Type and State	October 1	October 15	November 1
All Cotton			
AL	65,050	133,100	249,300
AZ	36,000	101,500	241,550
AR	153,250	520,850	1,028,550
CA	7,600	72,050	561,000
FL 1/		19,650	43,050
GA	186,350	413,100	754,100
LA	354,450	727,800	1,104,250
MS	564,000	1,083,150	1,562,350
MO	12,850	115,700	283,600
NM	0	3,500	17,400
NC	23,000	114,150	302,300
OK	0	150	5,700
SC	15,850	65,250	147,400
TN	69,000	238,050	467,550
TX	954,550	1,166,750	1,624,350
VA 1/		20,100	37,900
US	2,454,650	4,794,850	8,430,350
Amer-Pima			
AZ 1/		2,900	11,500
CA 1/			22,150
NM 1/			
TX 1/		2,000	
US	1,800	5,250	46,950

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 1995 (continued)

Type and State	November 15	December 1	December 15
All Cotton			
AL	311,700	375,100	414,950
AZ	366,800	523,250	652,800
AR	1,301,400	1,429,200	1,450,850
CA	1,169,550	1,766,900	2,179,850
FL	54,850	77,400	94,150
GA	1,044,200	1,403,150	1,663,150
LA	1,267,450	1,350,250	1,369,950
MS	1,727,400	1,794,800	1,802,500
MO	392,450	456,000	474,350
NM	33,500	50,350	59,150
NC	431,700	598,600	700,550
OK	32,100	89,700	111,750
SC	200,700	272,200	318,300
TN	589,650	681,600	709,500
TX	2,278,200	3,239,700	3,985,750
VA	60,100	90,850	113,900
US	11,261,750	14,199,050	16,101,600
Amer-Pima			
AZ	21,850	37,600	51,300
CA	54,450	94,800	130,900
NM 1/			12,050
TX 1/			43,400
US	105,550	175,800	237,650

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Sales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 1995 (continued)

Type and State	January 1	January 15	February 1
All Cotton			
AL	437,600	446,700	453,800
AZ	747,100	797,150	828,400
AR	1,452,750	1,452,850	1,452,850
CA	2,362,250	2,425,900	2,452,300
FL 1/	102,950		
GA	1,824,150	1,874,800	1,899,750
KS 1/			
LA	1,376,500	1,376,850	1,376,850
MS	1,803,250	1,803,600	1,803,600
MO	477,100	477,200	477,300
NM	65,700	69,150	69,600
NC	766,300	781,200	787,400
OK	115,450	116,200	117,100
SC	341,700	347,550	350,850
TN	712,050	712,350	712,450
TX	4,298,200	4,376,050	4,398,100
VA 1/		128,250	128,250
US	17,011,400	17,292,100	17,415,700
Amer-Pima			
AZ	61,900	66,850	70,700
CA	163,250	187,050	206,500
NM	13,100	13,750	13,850
TX	48,200	54,500	54,850
US	286,450	322,150	345,900

1/ Not published to avoid disclosing individual gins, but included in U.S. totals.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
All Cotton	:		:		:	
Autauga	1/:		:		:	3,650
Baldwin	1/:		:		:	11,050
Barbour	:	0	:	0	:	5,250
Blount	1/:		:		:	1,000
Bullock	:	0	:	0	:	900
Butler	:	0	:	0	:	1,550
Calhoun	:	0	:	0	:	1,000
Chambers	1/:	0	:	0	:	
Cherokee	1/:		:		:	12,000
Chilton	1/:		:		:	650
Choctaw	:	0	:	0	:	750
Clarke	:	0	:	0	:	450
Coffee	:	0	:	0	:	7,950
Colbert	1/:		:		:	14,700
Conecuh	:	0	:	0	:	2,900
Covington	1/:		:		:	12,100
Crenshaw	1/:		:		:	1,750
Cullman	:	0	:	0	:	1,250
Dale	:	0	:	0	:	7,500
Dallas	1/:		:		:	10,750
Dekalb	:	0	:	0	:	650
Elmore	:	6,100	:	6,300	:	5,350
Escambia	1/:		:		:	31,300
Etowah	:	0	:	0	:	600
Fayette	1/:		:		:	2,350
Franklin	:	0	:	0	:	500
Geneva	1/:		:		:	11,350
Greene	1/:		:		:	1,100
Hale	1/:		:		:	950
Henry	1/:		:		:	22,900
Houston	1/:		:		:	38,750
Jackson	:	0	:	0	:	650
Lauderdale	1/:		:		:	9,350
Lawrence	:	35,200	:	36,900	:	27,850
Lee	:	0	:	0	:	2,000
Limestone	:	59,300	:	62,100	:	43,650
Lowndes	1/:		:		:	1,800
Macon	1/:		:		:	2,100
Madison	:	25,750	:	26,550	:	39,100

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced

Marengo	1/:					4,100
Marion	1/:	0		0		
Marshall	:	0		0		3,850
Mobile	1/:					29,450
Monroe	1/:					33,850
Montgomery	:	0		0		800
Morgan	:	0		0		1,750
Pickens	1/:					1,000
Pike	:	0		0		4,350
Russell	1/:					4,950
Shelby	1/:					1,900
Talladega	:	0		0		1,500
Tallapoosa	1/:					1,000
Tuscaloosa	1/:					6,300
Washington	:	0		0		1,150
Wilcox	:	0		0		1,300
Oth	2/:					38,300

Alabama	:	460,650		476,000		475,350

Cochise	:	17,100		17,350		17,500
Graham	1/:					33,300
Greenlee	1/:					950
La Paz	1/:					64,650
Maricopa	:	354,050		360,100		319,350
Mohave	1/:					14,250
Pima	1/:					27,850
Pinal	:	266,900		274,850		292,800
Yuma	:	74,100		76,600		72,850

Arizona	:	831,750		852,700		843,500

Arkansas	:	0		0		1,300
Ashley	:	110,450		110,900		103,000
Chicot	1/:					79,850
Clark	1/:	0		0		
Clay	:	20,750		20,500		30,800
Craighead	:	133,250		132,100		125,600
Crittenden	:	94,700		96,200		83,700
Cross	1/:					1,250

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Desha	:	174,050	:	176,300	:	150,250
Drew	1/:		:		:	32,900
Franklin	1/:	0	:	0	:	
Greene	:	22,100	:	22,650	:	21,550
Jackson	:	0	:	0	:	400
Jefferson	:	101,650	:	103,600	:	93,400
Johnson	1/:	0	:	0	:	
Lafayette	1/:		:		:	8,150
Lee	1/:		:		:	39,550
Lincoln	1/:		:		:	53,700
Little River	1/:	0	:	0	:	
Lonoke	:	51,950	:	52,650	:	43,200
Miller	1/:		:		:	2,700
Mississippi	:	292,950	:	296,450	:	283,800
Monroe	1/:		:		:	41,750
Phillips	:	136,150	:	139,000	:	113,400
Poinsett	:	105,750	:	107,350	:	95,750
Prairie	1/:		:		:	1,050
Pulaski	:	0	:	0	:	2,550
Saint Francis	:	38,250	:	38,700	:	30,200
Woodruff	1/:		:		:	8,650
	:		:		:	
Arkansas	:	1,452,900	:	1,471,450	:	1,449,050
	:		:		:	
Butte	:	0	:	0	:	450
Colusa	1/:		:		:	3,900
Fresno	:	854,700	:	886,200	:	897,900
Glenn	:	0	:	0	:	700
Imperial	1/:		:		:	21,100
Kern	:	494,700	:	512,100	:	521,550
Kings	:	515,350	:	534,350	:	484,400
Madera	:	104,350	:	108,450	:	79,600
Merced	:	158,650	:	163,250	:	185,300
Riverside	1/:		:		:	28,000
San Bernardi	:	0	:	0	:	1,600
Sutter	1/:		:		:	
Tehama	:	0	:	0	:	600
Tulare	:	264,500	:	273,900	:	223,350
Yolo	:	0	:	0	:	750
	:		:		:	
California	:	2,462,350	:	2,550,050	:	2,449,450

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Alachua	0	0	
Calhoun	0	0	6,600
Columbia	0	0	1,100
Dixie	0	0	
Escambia	0	0	13,550
Gadsen	0	0	
Gilchrist	0	0	
Hamilton	0	0	3,300
Holmes	0	0	
Jackson	0	0	24,400
Jefferson	0	0	3,200
Lafayette	0	0	
Leon	0	0	
Levy	0	0	
Madison	0	0	2,000
Marion	0	0	
Okaloosa	0	0	4,350
Santa Rosa	0	0	29,600
St. Johns	0	0	
Suwannee	0	0	3,300
Walton	0	0	1,700
Washington	0	0	1,150
Oth			5,450
Florida			103,600
Appling			31,150
Atkinson	0	0	13,550
Bacon	0	0	7,350
Baker	0	0	30,900
Bartow	0	0	2,500
Ben Hill	0	0	7,400
Berrien	0	0	35,900
Bibb	0	0	
Bleckley	0	0	19,100
Brooks	0	0	63,300
Bryan	0	0	550
Bulloch	0	0	64,900
Burke	107,100	110,600	46,850
Calhoun			28,100

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Candler	1/:		:		:	15,550
Clay	:	0	:	0	:	9,350
Coffee	1/:		:		:	96,000
Colquitt	:	255,150	:	263,700	:	139,450
Columbia	:	0	:	0	:	13,350
Cook	1/:		:		:	33,650
Crawford	1/:		:		:	
Crisp	1/:		:		:	36,000
Decatur	1/:		:		:	73,100
Dodge	1/:		:		:	21,700
Dooly	:	136,100	:	141,400	:	70,500
Dougherty	:	0	:	0	:	17,250
Early	1/:		:		:	56,650
Echols	:	0	:	0	:	1,250
Effingham	:	0	:	0	:	3,350
Elbert	1/:		:		:	1,700
Emanuel	:	0	:	0	:	23,750
Evans	:	0	:	0	:	5,700
Floyd	:	0	:	0	:	1,600
Glascocock	:	0	:	0	:	600
Gordon	:	0	:	0	:	1,150
Grady	:	0	:	0	:	42,900
Hancock	1/:	0	:	0	:	
Hart	1/:	0	:	0	:	
Henry	1/:	0	:	0	:	
Houston	:	0	:	0	:	15,300
Irwin	1/:		:		:	26,050
Jackson	:	0	:	0	:	850
Jeff Davis	1/:		:		:	18,750
Jefferson	1/:		:		:	25,500
Jenkins	:	0	:	0	:	14,450
Johnson	1/:		:		:	6,600
Lamar	:	0	:	0	:	1,200
Lanier	:	0	:	0	:	7,150
Laurens	1/:		:		:	20,450
Lee	1/:		:		:	47,050
Liberty	1/:	0	:	0	:	
Long	:	0	:	0	:	550
Lowndes	1/:		:		:	14,750
Macon	:	0	:	0	:	21,050
McDuffie	1/:	0	:	0	:	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Miller	1/:		:		:	63,300
Mitchell	1/:		:		:	80,700
Monroe	:	0	:	0	:	350
Montgomery	:	0	:	0	:	1,200
Morgan	1/:		:		:	1,250
Newton	1/:	0	:	0	:	
Oconee	:	0	:	0	:	400
Peach	:	0	:	0	:	5,450
Pierce	1/:		:		:	14,150
Pike	1/:	0	:	0	:	
Polk	:	0	:	0	:	2,400
Pulaski	1/:		:		:	27,900
Quitman	:	0	:	0	:	1,250
Randolph	1/:		:		:	16,900
Richmond	:	0	:	0	:	1,900
Schley	:	0	:	0	:	2,250
Screven	1/:		:		:	22,750
Seminole	1/:		:		:	50,250
Stewart	:	0	:	0	:	3,950
Sumter	1/:		:		:	39,700
Tattnall	:	0	:	0	:	11,300
Taylor	1/:		:		:	5,350
Telfair	:	0	:	0	:	1,450
Terrell	1/:		:		:	27,100
Thomas	1/:		:		:	51,000
Tift	1/:		:		:	37,150
Toombs	:	0	:	0	:	10,700
Treutlen	:	0	:	0	:	850
Turner	1/:		:		:	35,600
Twiggs	:	0	:	0	:	3,050
Upson	1/:	0	:	0	:	
Walton	:	0	:	0	:	300
Ware	:	0	:	0	:	2,400
Warren	:	0	:	0	:	300
Washington	:	0	:	0	:	6,000
Wayne	:	0	:	0	:	17,150
Webster	:	0	:	0	:	6,600
Wheeler	:	0	:	0	:	1,750
Wilcox	1/:		:		:	31,600
Wilkinson	:	0	:	0	:	400
Worth	1/:		:		:	64,650

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Oth			150
Georgia	1,908,900	1,961,800	1,887,850
Kansas			950
Avoyelles			48,650
Bienville	0	0	350
Bossier	0	0	8,600
Caddo	37,450	38,450	29,450
Caldwell	0	0	21,350
Catahoula	71,300	72,800	108,450
Claiborne	0	0	450
Concordia	95,800	96,600	76,800
Desoto	0	0	
East Baton r	0	0	
East Carroll	118,400	118,750	103,950
Evangeline	0	0	2,950
Franklin	186,900	189,300	168,200
Grant	0	0	9,350
Madison			106,550
Morehouse	155,900	158,000	150,850
Natchitoches			30,600
Ouachita			32,950
Pointe Coupe			21,950
Rapides	73,100	74,950	55,500
Red River			4,800
Richland	209,650	210,700	149,000
Saint Landry	0	0	10,850
Saint Tamman	0	0	1,050
Tensas	127,600	130,050	144,650
Union	0	0	
Webster	0	0	500
West Baton r	0	0	650
West Carroll	101,850	102,850	68,650
West Felicia	0	0	800
Louisiana	1,378,550	1,394,700	1,358,450

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
:			
Adams	0	0	7,500
Alcorn	0	0	1,350
Attala	0	0	1,500
Benton 1/:			4,500
Bolivar	103,200	107,200	111,650
Calhoun	22,300	22,900	13,100
Carroll 1/:			27,550
Chickasaw 1/:			5,300
Choctaw	0	0	300
Claiborne	0	0	8,200
Clay	0	0	1,450
Coahoma	152,150	153,700	135,250
Copiah	0	0	500
Covington	0	0	600
Desoto 1/:			25,250
Forrest	0	0	3,200
Franklin	0	0	550
Grenada 1/:			14,100
Hinds 1/:			20,650
Holmes	103,750	104,350	91,000
Humphreys	94,550	95,900	104,000
Issaquena 1/:			56,350
Itawamba 1/:	0	0	
Jackson	0	0	300
Jefferson 1/:			
Jefferson Da	0	0	3,550
Lafayette 1/:			5,550
Lamar	0	0	450
Leake 1/:			2,850
Lee 1/:			1,450
Leflore	156,750	160,550	154,700
Lowndes	0	0	3,950
Madison	27,100	27,300	47,950
Marshall 1/:			9,050
Monroe 1/:			10,750
Montgomery 1/:			12,050
Newton	0	0	700
Noxubee	0	0	6,850
Oktibbeha	0	0	450
Panola	65,500	67,000	56,700
Pike	0	0	1,050

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Pontotoc	1/:					22,200
Prentiss	1/:					7,200
Quitman	:	58,250		59,450		51,200
Rankin	1/:					8,600
Scott	:	0		0		4,250
Sharkey	1/:					81,900
Smith	1/:	0		0		
Sunflower	:	188,400		194,000		150,650
Tallahatchie	:	100,350		102,700		103,600
Tate	1/:					12,150
Tippah	1/:					1,500
Tishomingo	:	0		0		300
Tunica	:	49,850		50,050		73,850
Union	1/:					2,850
Warren	1/:					19,400
Washington	:	172,650		177,950		159,850
Webster	1/:					17,150
Wilkinson	:	0		0		750
Winston	1/:	0		0		
Yalobusha	1/:					15,050
Yazoo	:	143,700		147,500		115,850
	:					
Mississippi	:	1,806,850		1,846,000		1,800,750
	:					
Butler	:	0		0		1,550
Dunklin	:	147,150		149,650		170,900
Mississippi	:	0		0		4,700
New Madrid	:	153,500		155,050		136,600
Pemiscot	:	104,650		105,650		95,250
Scott	1/:					16,100
Stoddard	1/:					74,050
Oth	2/:					6,400
	:					
Missouri	:	477,400		484,150		505,550
	:					
Chaves	1/:					12,950
Curry	:	0		0		3,550
Dona Ana	:	28,700		29,250		33,700
Eddy	1/:					12,800
Hidalgo	1/:					3,750

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Lea	0	0	8,450
Luna	1/:		8,750
Quay	1/:		1,700
Roosevelt	1/:		3,750
New Mexico	69,700	70,000	89,400
Alamance	1/:	0	
Anson	1/:		1,850
Beaufort	:	0	7,650
Bertie	1/:		48,250
Bladen	1/:		6,800
Brunswick	:	0	1,000
Camden	:	0	1,950
Chowan	:	0	23,250
Cleveland	1/:		3,250
Columbus	:	0	2,150
Craven	1/:		23,800
Cumberland	:	0	5,400
Currituck	:	0	2,800
Davidson	:	0	350
Duplin	1/:		13,900
Edgecombe	1/:		42,250
Franklin	1/:	0	
Gates	1/:		22,800
Granville	1/:	0	
Greene	1/:		32,150
Guilford	1/:	0	
Halifax	:	64,100	66,650
Harnett	1/:		10,400
Hertford	1/:		24,550
Hoke	1/:		17,900
Hyde	:	0	4,350
Iredell	:	0	350
Johnston	:	0	11,900
Jones	1/:		3,800
Lee	:	0	550
Lenoir	1/:		34,350
Martin	1/:		43,300
Montgomery	:	0	1,500
Moore	1/:	0	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
:			
Nash	1/:		29,650
Northampton	:	65,450	59,500
Onslow	:	0	700
Pamlico	:	0	350
Pasquotank	:	0	2,750
Fender	:	0	900
Perquimans	1/:		18,350
Pitt	1/:		32,800
Richmond	:	0	3,400
Robeson	:	37,700	27,600
Rockingham	1/:	0	
Rowan	:	0	1,000
Rutherford	1/:		400
Sampson	:	50,800	42,050
Scotland	1/:		14,150
Stanly	:	0	4,450
Tyrrell	:	0	2,100
Union	:	0	8,050
Wake	:	0	850
Warren	:	0	300
Washington	:	0	5,800
Watauga	1/:	0	
Wayne	1/:		30,500
Wilson	1/:		24,250
:			
North Carolina	:	787,950	810,950
:			
Beckham	:	7,150	7,350
Bryan	1/:		5,400
Caddo	:	5,550	5,500
Canadian	1/:		3,300
Comanche	:	0	600
Cotton	1/:		1,850
Custer	1/:		1,250
Dewey	1/:	0	
Garvin	:	0	0
Grady	1/:		450
Greer	:	4,400	1,150
Harmon	:	4,500	4,150
Harmon	:	11,950	13,800
Jackson	:	28,300	27,100
Jefferson	1/:	0	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Kay	1/:	0	:	0	:	
Kiowa	:	8,800	:	8,900	:	9,700
Love	1/:	0	:	0	:	
Major	1/:	0	:	0	:	
Mcclain	1/:		:		:	700
Muskogee	1/:	0	:	0	:	
Okmulgee	1/:	0	:	0	:	
Pawnee	1/:	0	:	0	:	
Pottawatomie	1/:	0	:	0	:	
Roger Mills	:	0	:	0	:	700
Sequoyah	1/:	0	:	0	:	
Stephens	1/:		:		:	
Tillman	:	34,050	:	36,100	:	31,850
Wagoner	1/:	0	:	0	:	
Washita	:	10,650	:	10,950	:	13,700
	:		:		:	
Oklahoma	:	117,250	:	120,450	:	118,950
	:		:		:	
Abbeville	:	0	:	0	:	650
Aiken	1/:		:		:	6,450
Allendale	1/:		:		:	8,100
Bamberg	:	0	:	0	:	6,900
Barnwell	1/:		:		:	9,200
Berkeley	1/:	0	:	0	:	
Calhoun	:	61,850	:	63,100	:	40,600
Cherokee	1/:	0	:	0	:	
Chester	:	0	:	0	:	2,150
Chesterfield	:	0	:	0	:	500
Clarendon	1/:		:		:	18,550
Colleton	:	0	:	0	:	2,400
Darlington	:	21,050	:	21,800	:	34,200
Dillon	1/:		:		:	17,750
Dorchester	:	0	:	0	:	9,450
Edgefield	:	0	:	0	:	2,350
Florence	1/:		:		:	18,800
Georgetown	:	0	:	0	:	500
Greenwood	1/:	0	:	0	:	
Hampton	:	0	:	0	:	16,200
Horry	:	0	:	0	:	2,200
Jasper	1/:	0	:	0	:	
Kershaw	:	0	:	0	:	900

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Lee	41,950	40,400	32,550
Lexington 1/:	0	0	
Marion	0	0	3,300
Marlboro	35,500	37,150	34,350
Newberry 1/:	0	0	
Orangeburg	57,700	57,400	43,100
Richland	0	0	1,550
Saluda 1/:			2,250
Sumter	25,850	26,200	11,850
Williamsburg 1/:			39,850
York 1/:			3,150
South Carolina :	351,900	356,400	370,600
Benton 1/:	0	0	
Carroll 1/:			22,450
Chester	0	0	5,850
Coffee	0	0	1,300
Crockett	139,000	139,500	104,700
Dyer 1/:			48,650
Fayette 1/:			50,150
Franklin	0	0	2,500
Gibson	95,200	96,900	73,100
Giles	0	0	1,800
Hardeman 1/:			19,000
Hardin	0	0	750
Haywood	163,450	165,100	144,700
Henderson	0	0	1,900
Henry	0	0	1,750
Lake 1/:			25,900
Lauderdale	65,550	66,150	38,250
Lawrence	0	0	1,150
Lincoln 1/:			4,700
Madison	36,000	36,200	58,050
Maury	0	0	1,750
McNairy	0	0	2,300
Obion	0	0	7,300
Rutherford	0	0	3,900
Shelby	0	0	18,650
Tipton	80,050	82,250	69,350
Warren 1/:	0	0	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Wayne	0	0	500
Weakley	0	0	2,150
Oth	2/:		50
Tennessee	713,150	724,000	712,950
Andrews	0	0	16,050
Archer	0	0	450
Atascosa	0	0	650
Austin	0	0	4,400
Bailey	62,000	64,300	40,250
Bastrop	1/:	0	
Baylor	1/:		2,650
Bee	0	0	7,600
Bell	0	0	4,450
Bexar	1/:	0	
Borden	1/:		13,950
Bosque	1/:	0	
Bowie	1/:	0	
Brazoria	18,950	19,700	10,800
Brazos	1/:		18,100
Briscoe	25,000	25,950	15,500
Brooks	0	0	300
Brown	1/:	0	
Burleson	1/:		26,750
Caldwell	1/:		5,700
Calhoun	1/:		48,300
Callahan	1/:	0	
Cameron	15,500	15,850	15,350
Castro	47,400	47,750	58,400
Childress	1/:		20,400
Clay	1/:		1,000
Cochran	1/:		70,400
Coleman	1/:		400
Collin	1/:		3,950
Collingswort	1/:		14,150
Colorado	0	0	850
Concho	1/:		5,850
Cooke	1/:	0	
Coryell	1/:	0	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Cottle	1/:		12,650
Crockett	1/:	0	0
Crosby	:	142,200	146,950
Dallas	:	0	700
Dawson	:	152,750	157,250
De Witt	:	0	3,750
Deaf Smith	1/:		6,200
Delta	1/:		2,500
Denton	1/:		2,600
Dickens	1/:		10,250
Dimmit	1/:	0	0
Donley	1/:		550
Duval	:	0	300
Eastland	:	0	750
El Paso	1/:		38,500
Ellis	:	24,300	24,500
Falls	1/:		20,900
Fannin	1/:		1,000
Fisher	1/:		18,400
Floyd	:	102,150	106,450
Foard	1/:		3,350
Fort Bend	:	78,700	80,650
Franklin	1/:	0	0
Frio	:	0	1,700
Gaines	:	311,700	321,950
Garza	:	13,000	13,350
Glasscock	1/:		33,950
Grayson	:	0	300
Guadalupe	:	0	500
Hale	:	230,350	236,700
Hall	:	33,800	35,000
Hamilton	:	0	350
Hardeman	1/:		6,000
Harris	1/:	0	0
Haskell	:	41,550	42,800
Hays	1/:	0	0
Hidalgo	:	30,350	30,900
Hill	:	39,100	39,350
Hockley	:	276,350	281,750
Houston	1/:		183,000
Howard	:	45,450	46,350
			5,450
			31,600

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Hudspeth	:	0	:	0	:	18,200
Hunt	1/:		:		:	10,650
Irion	1/:	0	:	0	:	
Jackson	1/:		:		:	44,750
Jim Wells	:	0	:	0	:	4,700
Johnson	:	0	:	0	:	850
Jones	:	18,950	:	19,250	:	16,050
Karnes	:	0	:	0	:	1,200
Kaufman	1/:		:		:	2,650
Kenedy	:	0	:	0	:	2,700
Kent	1/:		:		:	1,700
King	:	0	:	0	:	2,050
Kinney	:	0	:	0	:	800
Kleberg	1/:		:		:	47,150
Knox	:	22,450	:	23,350	:	24,400
Lamar	1/:		:		:	4,550
Lamb	:	188,750	:	195,800	:	162,200
Lavaca	1/:	0	:	0	:	
Lee	:	0	:	0	:	2,100
Leon	1/:	0	:	0	:	
Liberty	1/:	0	:	0	:	
Limestone	:	0	:	0	:	3,200
Live Oak	:	0	:	0	:	2,350
Loving	:	0	:	0	:	750
Lubbock	:	241,950	:	249,350	:	243,050
Lynn	:	185,750	:	192,850	:	175,600
Martin	:	102,050	:	104,600	:	76,200
Matagorda	1/:		:		:	70,000
Mcculloch	1/:		:		:	1,900
Mclennan	1/:		:		:	7,500
Medina	1/:		:		:	10,950
Midland	1/:		:		:	17,050
Milam	:	29,750	:	29,850	:	30,300
Mitchell	:	20,600	:	21,200	:	20,200
Motley	1/:		:		:	10,250
Navarro	1/:		:		:	22,600
Nolan	1/:		:		:	19,650
Nueces	:	135,200	:	138,100	:	148,750
Parmer	:	64,100	:	65,800	:	72,550
Pecos	1/:		:		:	12,550
Reagan	:	0	:	0	:	27,400

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Red River	:	0	:	0	:	5,350
Reeves	1/:		:		:	8,200
Refugio	1/:		:		:	43,200
Robertson	:	51,700	:	53,350	:	31,100
Rockwall	:	0	:	0	:	1,050
Runnels	:	13,250	:	13,550	:	6,900
San Patricio	:	238,150	:	244,050	:	138,350
Schleicher	1/:		:		:	1,200
Scurry	:	27,900	:	28,800	:	22,650
Shackelford	:	0	:	0	:	1,850
Starr	1/:		:		:	2,000
Stephens	1/:	0	:	0	:	
Stonewall	:	0	:	0	:	1,150
Swisher	:	30,250	:	30,850	:	36,650
Tarrant	1/:	0	:	0	:	
Taylor	1/:		:		:	8,000
Terry	:	217,300	:	221,650	:	223,350
Throckmorton	1/:		:		:	3,050
Tom Green	:	28,300	:	28,900	:	29,950
Travis	:	0	:	0	:	6,550
Upton	1/:		:		:	9,150
Uvalde	1/:		:		:	17,450
Van Zandt	:	0	:	0	:	350
Victoria	:	0	:	0	:	22,150
Walker	1/:		:		:	350
Waller	1/:	0	:	0	:	
Ward	:	0	:	0	:	500
Washington	:	0	:	0	:	400
Webb	1/:	0	:	0	:	
Wharton	:	177,050	:	178,700	:	101,300
Wheeler	:	0	:	0	:	600
Wichita	1/:		:		:	3,950
Wilbarger	:	20,250	:	20,500	:	8,750
Willacy	:	7,600	:	7,800	:	18,000
Williamson	:	63,100	:	64,700	:	57,950
Wilson	:	0	:	0	:	2,300
Yoakum	:	132,350	:	134,050	:	88,150
Young	1/:		:		:	2,200
Zavala	1/:		:		:	9,500
Oth	2/:		:		:	159,500

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1995 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Texas	4,413,500	4,529,500	4,392,900
Accomack 1/:	0	0	
Brunswick 1/:	0	0	
Charles City 1/:	0	0	
Chesapeake c 1/:	0	0	
Dinwiddie :	0	0	2,450
Greensville 1/:			12,400
Henrico 1/:	0	0	
Isle of Wigh 1/:			16,350
King William 1/:	0	0	
Lancaster 1/:	0	0	
New Kent 1/:	0	0	
Northampton 1/:	0	0	
Northumberla 1/:	0	0	
Prince Georg 1/:	0	0	
Southampton :	0	0	48,650
Suffolk City 1/:			22,700
Surry :	0	0	7,000
Sussex :	0	0	11,600
Virginia Bea 1/:	0	0	
Virginia :	128,250	130,750	134,150
US Total :	17,468,500	17,890,000	17,468,500

1/ Withheld to avoid disclosing individual data, but included in State and U.S. totals.

2/ County of origin was not determined.

Note: Counties may not add to State total due to rounding.

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Autauga	2	506.5	363
Baldwin	1	494.4	263
Barbour	0	0.0	334
Blount	1	508.6	478
Bullock	0	0.0	492
Butler	0	0.0	442
Calhoun	0	0.0	479
Chambers	0	0.0	617
Cherokee	4	490.3	257
Chilton	1	500.0	520
Choctaw	0	0.0	506
Clarke	0	0.0	549
Coffee	0	0.0	295
Colbert	2	494.7	234
Conecuh	0	0.0	381
Covington	1	496.3	255
Crenshaw	2	477.7	430
Cullman	0	0.0	456
Dale	0	0.0	298
Dallas	2	521.1	267
Dekalb	0	0.0	518
Elmore	3	494.4	330
Escambia	1	500.6	142
Etowah	0	0.0	524
Fayette	1	519.3	399
Franklin	0	0.0	539
Geneva	2	0.0	261
Greene	1	500.0	472
Hale	1	202.7	488
Henry	2	483.4	180
Houston	2	491.5	116
Jackson	0	0.0	519
Lauderdale	2	500.9	277
Lawrence	4	502.9	160
Lee	0	0.0	415
Limestone	9	502.8	100
Lowndes	1	495.4	427
Macon	1	485.0	411
Madison	4	494.6	115
Marengo	1	479.4	351

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Marion	0	0.0	581
Marshall	0	0.0	358
Mobile	1	481.9	155
Monroe	1	508.7	130
Montgomery	0	0.0	502
Morgan	0	0.0	429
Pickens	1	504.3	480
Pike	0	0.0	346
Russell	2	483.7	335
Shelby	2	496.4	419
Talladega	0	0.0	445
Tallapoosa	1	495.6	481
Tuscaloosa	2	495.3	316
Washington	0	0.0	466
Wilcox	0	0.0	453
Alabama	61	496.0	
Cochise	3	487.6	215
Graham	4	488.2	133
Greenlee	1	498.0	489
La Paz	4	501.0	73
Maricopa	24	488.2	4
Mohave	1	497.1	236
Pima	3	500.8	161
Pinal	19	494.3	6
Yuma	4	496.1	63
Arizona	63	492.1	
Arkansas	0	0.0	454
Ashley	6	482.0	44
Chicot	2	495.4	55
Clark	0	0.0	583
Clay	3	473.8	146
Craighead	8	475.8	34
Crittenden	5	487.7	52
Cross	1	501.0	457
Desha	6	486.2	23
Drew	1	481.6	135

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Franklin	0	0.0	640
Greene	3	492.4	191
Jackson	0	0.0	556
Jefferson	12	489.3	49
Johnson	0	0.0	603
Lafayette	2	480.0	291
Lee	2	506.3	114
Lincoln	2	479.1	85
Little River	0	0.0	582
Lonoke	5	486.4	102
Miller	1	500.0	386
Mississippi	13	485.7	7
Monroe	2	482.0	108
Phillips	10	490.1	36
Poinsett	8	487.3	47
Prairie	3	480.0	474
Pulaski	0	0.0	391
Saint Francis	4	485.7	150
Woodruff	1	485.0	285
Arkansas	100	486.1	
Butte	0	0.0	550
Colusa	1	498.0	356
Fresno	38	497.7	1
Glenn	0	0.0	512
Imperial	1	489.6	193
Kern	25	496.9	2
Kings	16	497.7	3
Madera	7	498.8	56
Merced	7	493.9	12
Riverside	2	493.6	158
San Bernardi	0	0.0	440
Sutter	1	494.0	604
Tehama	0	0.0	525
Tulare	11	497.1	9
Yolo	0	0.0	507
California	109	497.1	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Alachua	0	0.0	532
Calhoun	0	0.0	311
Columbia	0	0.0	473
Dixie	0	0.0	618
Escambia	1	498.0	245
Gadsden	0	0.0	526
Gilchrist	0	0.0	619
Hamilton	0	0.0	369
Holmes	0	0.0	493
Jackson	1	496.4	173
Jefferson	0	0.0	374
Lafayette	0	0.0	594
Leon	0	0.0	557
Levy	0	0.0	527
Madison	0	0.0	416
Marion	0	0.0	641
Okaloosa	0	0.0	347
Santa Rosa	2	495.8	153
St. Johns	0	0.0	563
Suwannee	0	0.0	370
Walton	0	0.0	434
Washington	0	0.0	467
Florida	4	496.3	
Appling	1	496.6	143
Atkinson	0	0.0	246
Bacon	0	0.0	302
Baker	0	0.0	145
Bartow	1	482.6	392
Ben Hill	0	0.0	301
Berrien	2	490.7	122
Bibb	0	0.0	622
Bleckley	1	494.7	202
Brooks	2	497.6	76
Bryan	0	0.0	533
Bulloch	2	479.5	72
Burke	5	495.6	98
Calhoun	2	484.3	157
Candler	2	479.7	228

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Clay	0	0.0	278
Coffee	2	492.9	46
Colquitt	7	496.1	29
Columbia	0	0.0	247
Cook	1	491.5	132
Crawford	1	500.9	595
Crisp	2	483.4	121
Decatur	2	493.5	61
Dodge	1	486.0	190
Dooly	8	498.7	66
Dougherty	0	0.0	218
Early	1	498.0	82
Echols	0	0.0	460
Effingham	0	0.0	367
Elbert	1	500.0	435
Emanuel	0	0.0	177
Evans	0	0.0	323
Floyd	0	0.0	441
Glascocock	0	0.0	528
Gordon	0	0.0	468
Grady	0	0.0	105
Hancock	0	0.0	623
Hart	0	0.0	620
Henry	0	0.0	584
Houston	0	0.0	231
Irwin	2	496.0	168
Jackson	0	0.0	497
Jeff Davis	1	495.1	205
Jefferson	2	502.1	170
Jenkins	0	0.0	235
Johnson	1	498.7	312
Lamar	0	0.0	462
Lanier	0	0.0	305
Laurens	2	500.2	197
Lee	1	475.0	97
Liberty	0	0.0	644
Long	0	0.0	534
Lowndes	1	498.3	233
Macon	0	0.0	194
McDuffie	0	0.0	585

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Miller	1	492.6	75
Mitchell	2	496.0	54
Monroe	0	0.0	564
Montgomery	0	0.0	463
Morgan	1	512.0	458
Newton	0	0.0	643
Oconee	0	0.0	558
Peach	0	0.0	326
Pierce	1	495.9	237
Pike	0	0.0	642
Polk	0	0.0	396
Pulaski	3	477.4	159
Quitman	0	0.0	459
Randolph	1	476.3	222
Richmond	0	0.0	420
Schley	0	0.0	404
Screven	2	495.4	182
Seminole	1	496.1	88
Stewart	0	0.0	352
Sumter	2	486.2	112
Tattnall	0	0.0	262
Taylor	1	480.0	331
Telfair	0	0.0	449
Terrell	1	497.0	165
Thomas	2	491.1	87
Tift	3	494.5	119
Toombs	0	0.0	269
Treutlen	0	0.0	498
Turner	2	506.1	124
Twiggs	0	0.0	378
Upson	0	0.0	621
Walton	0	0.0	572
Ware	0	0.0	397
Warren	0	0.0	573
Washington	0	0.0	318
Wayne	0	0.0	219
Webster	0	0.0	313
Wheeler	0	0.0	431
Wilcox	1	497.0	140
Wilkinson	0	0.0	559

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Worth	1	490.0	74
Georgia	79	493.3	
Kansas 1/	1	497.0	
Avoyelles	2	482.9	90
Bienville	0	0.0	565
Bossier	0	0.0	286
Caddo	7	492.6	156
Caldwell	0	0.0	192
Catahoula	4	490.0	38
Claiborne	0	0.0	551
Concordia	3	484.1	57
Desoto	0	0.0	586
East Baton r	0	0.0	625
East Carroll	6	481.4	42
Evangeline	0	0.0	380
Franklin	12	486.2	16
Grant	0	0.0	279
Madison	2	485.8	39
Morehouse	7	486.4	21
Natchitoches	2	478.6	147
Ouachita	2	483.0	134
Pointe Coupe	1	485.9	189
Rapides	4	492.3	84
Red River	1	492.6	336
Richland	10	482.4	24
Saint Landry	0	0.0	265
Saint Tamman	0	0.0	475
Tensas	7	489.3	27
Union	0	0.0	596
Webster	0	0.0	541
West Baton r	0	0.0	521
West Carroll	5	484.8	70
West Felicia	0	0.0	503
Louisiana	75	485.6	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Adams	0	0.0	299
Alcorn	0	0.0	452
Attala	0	0.0	447
Benton	2	489.0	341
Bolivar	8	498.7	37
Calhoun	3	493.0	248
Carroll	2	486.9	163
Chickasaw	1	487.0	333
Choctaw	0	0.0	575
Claiborne	0	0.0	289
Clay	0	0.0	451
Coahoma	8	484.9	32
Copiah	0	0.0	542
Covington	0	0.0	529
Desoto	2	484.3	171
Forrest	0	0.0	375
Franklin	0	0.0	535
Grenada	2	482.2	240
Hinds	2	486.4	196
Holmes	5	482.7	50
Humphreys	5	486.9	41
Issaquena	1	485.0	83
Itawamba	0	0.0	646
Jackson	0	0.0	576
Jefferson	1	484.0	0
Jefferson Da	0	0.0	364
Lafayette	1	490.0	325
Lamar	0	0.0	553
Leake	1	485.0	383
Lee	1	500.0	450
Leflore	11	491.6	20
Lowndes	0	0.0	353
Madison	4	483.7	95
Marshall	2	495.1	282
Monroe	2	499.8	268

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
:	Number	Pounds	Rank
Montgomery	1	473.6	256
Newton	0	0.0	513
Noxubee	0	0.0	309
Oktibbeha	0	0.0	552
Panola	5	490.9	81
Pike	0	0.0	476
Pontotoc	2	483.9	187
Prentiss	1	480.0	304
Quitman	4	489.8	86
Rankin	2	489.0	287
Scott	0	0.0	349
Sharkey	6	492.8	53
Smith	0	0.0	626
Sunflower	12	494.3	22
Tallahatchie	7	491.3	43
Tate	2	485.3	254
Tippah	1	493.9	446
Tishomingo	0	0.0	574
Tunica	5	482.0	60
Union	1	465.0	382
Warren	1	489.1	201
Washington	13	494.8	19
Webster	1	490.0	220
Wilkinson	0	0.0	508
Winston	0	0.0	597
Yalobusha	1	492.0	232
Yazoo	8	492.7	35
Mississippi	137	490.4	
Butler	0	0.0	443
Dunklin	12	488.2	15
Mississippi	0	0.0	337
New Madrid	9	484.8	31
Pemiscot	9	484.6	48
Scott	3	489.4	225
Stoddard	2	492.3	59
Missouri	35	486.8	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Chaves	3	475.3	249
Curry	0	0.0	365
Dona Ana	8	489.5	131
Eddy	3	472.7	250
Hidalgo	1	475.0	361
Lea	0	0.0	288
Luna	1	482.6	283
Quay	1	450.0	436
Roosevelt	1	497.0	360
New Mexico	18	482.0	
Alamance	0	0.0	647
Anson	4	485.2	423
Beaufort	0	0.0	296
Bertie	4	498.7	94
Bladen	1	496.9	310
Brunswick	0	0.0	483
Camden	0	0.0	418
Chowan	0	0.0	179
Cleveland	4	482.8	373
Columbus	0	0.0	408
Craven	1	495.0	176
Cumberland	0	0.0	328
Currituck	0	0.0	384
Davidson	0	0.0	566
Duplin	1	474.5	242
Edgecombe	2	497.8	106
Franklin	0	0.0	607
Gates	2	490.6	181
Granville	0	0.0	648
Greene	1	480.0	138
Guilford	0	0.0	628
Halifax	5	499.0	65
Harnett	1	497.4	271
Hertford	1	491.8	172
Hoke	1	477.4	213
Hyde	0	0.0	348
Iredell	0	0.0	567
Johnston	0	0.0	258

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Jones	1	498.0	359
Lee	0	0.0	536
Lenoir	1	486.4	126
Martin	1	486.5	101
Montgomery	0	0.0	448
Moore	0	0.0	629
Nash	4	510.3	152
Northampton	6	494.0	77
Onslow	0	0.0	514
Pamlico	0	0.0	568
Pasquotank	0	0.0	385
Pender	0	0.0	494
Perquimans	1	498.5	209
Pitt	2	497.1	136
Richmond	0	0.0	366
Robeson	3	504.8	162
Rockingham	0	0.0	649
Rowan	0	0.0	482
Rutherford	1	440.2	560
Sampson	5	490.0	107
Scotland	2	515.3	238
Stanly	0	0.0	342
Tyrrell	0	0.0	412
Union	0	0.0	293
Wake	0	0.0	499
Warren	0	0.0	577
Washington	0	0.0	322
Watauga	0	0.0	627
Wayne	1	484.4	148
Wilson	1	502.0	175
North Carolina	57	494.0	
Beckham	6	494.5	329
Bryan	1	467.0	631
Caddo	5	477.4	371
Canadian	1	493.8	530
Comanche	0	0.0	424
Cotton	1	490.0	425

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Custer	2	492.9	461
Dewey	0	0.0	650
Garvin	0	0.0	554
Grady	2	477.1	469
Greer	4	492.9	350
Harmon	4	479.6	243
Jackson	6	488.0	166
Jefferson	0	0.0	632
Kay	0	0.0	630
Kiowa	4	485.8	274
Love	0	0.0	587
Major	0	0.0	608
Mcclain	2	463.8	516
Muskogee	0	0.0	633
Okmulgee	0	0.0	653
Pawnee	0	0.0	652
Pottawatomie	0	0.0	651
Roger Mills	0	0.0	515
Sequoyah	0	0.0	654
Stephens	1	480.0	609
Tillman	7	509.0	139
Wagoner	0	0.0	610
Washita	6	493.4	244
Oklahoma	52	493.2	
Abbeville	0	0.0	522
Aiken	2	535.1	315
Allendale	1	480.0	292
Bamberg	0	0.0	307
Barnwell	1	466.0	280
Berkeley	0	0.0	655
Calhoun	3	489.6	109
Cherokee	0	0.0	634
Chester	0	0.0	409
Chesterfield	0	0.0	543

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Clarendon	3	486.4	207
Colleton	0	0.0	398
Darlington	3	496.7	128
Dillon	3	504.0	214
Dorchester	0	0.0	276
Edgefield	0	0.0	400
Florence	1	456.1	204
Georgetown	0	0.0	544
Greenwood	0	0.0	635
Hampton	0	0.0	224
Horry	0	0.0	406
Jasper	0	0.0	588
Kershaw	0	0.0	495
Lee	6	462.2	137
Lexington	0	0.0	598
Marion	0	0.0	372
Marlboro	4	502.0	127
Newberry	0	0.0	611
Orangeburg	4	477.7	104
Richland	0	0.0	444
Saluda	1	492.7	405
Sumter	6	486.1	259
Williamsburg	1	494.6	111
York	1	500.0	377
South Carolina	40	486.1	
Benton	0	0.0	599
Carroll	1	481.4	186
Chester	0	0.0	320
Coffee	0	0.0	455
Crockett	10	481.7	40
Dyer	1	494.0	91
Fayette	3	498.8	89
Franklin	0	0.0	393
Gibson	6	488.6	62
Giles	0	0.0	428
Hardeman	2	496.9	203
Hardin	0	0.0	509
Haywood	8	484.9	26

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Henderson	0	0.0	421
Henry	0	0.0	432
Lake	1	495.0	169
Lauderdale	5	484.4	118
Lawrence	0	0.0	470
Lincoln	1	488.0	338
Madison	3	482.4	79
Mauzy	0	0.0	433
McNairy	0	0.0	402
Obion	0	0.0	303
Rutherford	0	0.0	357
Shelby	0	0.0	206
Tipton	7	493.3	69
Warren	0	0.0	612
Wayne	0	0.0	545
Weakley	0	0.0	410
Tennessee	48	487.3	
Andrews	0	0.0	226
Archer	0	0.0	555
Atascosa	0	0.0	523
Austin	0	0.0	344
Bailey	7	497.8	110
Bastrop	0	0.0	659
Baylor	2	487.6	388
Bee	0	0.0	297
Bell	0	0.0	343
Bexar	0	0.0	616
Borden	1	490.7	241
Bosque	0	0.0	636
Bowie	0	0.0	600
Brazoria	3	499.2	266
Brazos	3	485.4	211
Briscoe	3	497.9	229
Brooks	0	0.0	579
Brown	0	0.0	656
Burleson	1	492.8	167
Caldwell	1	495.0	324
Calhoun	1	502.5	93

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Callahan	0	0.0	657
Cameron	9	491.1	230
Castro	7	483.6	78
Childress	2	498.3	198
Clay	1	472.0	484
Cochran	2	493.1	67
Coleman	1	481.0	561
Collin	3	482.9	355
Collingsworth	3	496.7	239
Colorado	0	0.0	501
Concho	1	480.0	321
Cooke	0	0.0	614
Coryell	0	0.0	589
Cottle	2	489.8	251
Crockett	0	0.0	638
Crosby	7	496.1	28
Dallas	0	0.0	517
Dawson	10	494.2	17
De Witt	0	0.0	362
Deaf Smith	1	481.0	317
Delta	1	480.0	394
Denton	1	463.6	390
Dickens	2	489.6	272
Dimmit	0	0.0	601
Donley	1	490.0	537
Duval	0	0.0	580
Eastland	0	0.0	510
El Paso	6	494.8	117
Ellis	3	484.0	178
Falls	2	492.6	195
Fannin	1	480.0	485
Fisher	3	497.2	208
Floyd	12	500.1	33
Foard	1	487.8	368
Fort Bend	7	491.9	71
Franklin	0	0.0	637
Frio	0	0.0	438
Gaines	13	495.8	5
Garza	3	493.3	217
Glasscock	2	502.8	129

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Grayson	0	0.0	578
Guadalupe	0	0.0	547
Hale	19	493.2	11
Hall	5	497.3	123
Hamilton	0	0.0	569
Hardeman	2	496.6	319
Harris	0	0.0	592
Haskell	8	494.2	113
Hays	0	0.0	660
Hidalgo	11	488.8	154
Hill	4	483.0	125
Hockley	13	489.4	13
Houston	1	489.0	327
Howard	5	489.3	141
Hudspeth	0	0.0	210
Hunt	2	484.3	270
Irion	0	0.0	658
Jackson	1	488.5	99
Jim Wells	0	0.0	339
Johnson	0	0.0	500
Jones	9	488.1	227
Karnes	0	0.0	465
Kaufman	1	493.0	389
Kenedy	0	0.0	387
Kent	1	490.3	437
King	0	0.0	414
Kinney	0	0.0	504
Kleberg	2	494.7	96
Knox	4	499.1	174
Lamar	2	488.2	340
Lamb	13	497.9	18
Lavaca	0	0.0	661
Lee	0	0.0	413
Leon	0	0.0	590
Liberty	0	0.0	593
Limestone	0	0.0	376
Live Oak	0	0.0	401
Loving	0	0.0	511
Lubbock	18	494.7	8
Lynn	11	498.3	14
Martin	9	491.9	58

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Matagorda	1	482.0	68
Mcculloch	1	490.0	422
Mclennan	1	484.0	300
Medina	2	490.9	264
Midland	1	500.1	221
Milam	3	482.0	149
Mitchell	3	493.8	199
Motley	2	501.8	273
Navarro	2	499.8	185
Nolan	1	494.7	200
Nueces	7	490.3	25
Parmer	7	492.8	64
Pecos	1	479.6	252
Reagan	0	0.0	164
Red River	0	0.0	332
Reeves	2	472.4	290
Refugio	1	493.0	103
Robertson	4	495.4	144
Rockwall	0	0.0	477
Runnels	6	490.3	308
San Patricio	10	491.9	30
Schleicher	1	460.0	464
Scurry	3	495.6	184
Shackelford	0	0.0	426
Starr	1	502.0	417
Stephens	0	0.0	613
Stonewall	0	0.0	471
Swisher	5	489.4	120
Tarrant	0	0.0	615
Taylor	2	494.1	294
Terry	9	489.6	10
Throckmorton	1	480.0	379
Tom Green	9	490.2	151
Travis	0	0.0	314
Upton	1	497.1	281
Uvalde	1	500.0	216
Van Zandt	0	0.0	570
Victoria	0	0.0	188
Walker	1	510.9	571
Waller	0	0.0	591
Ward	0	0.0	546

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Washington	0	0.0	562
Webb	0	0.0	662
Wharton	6	484.5	45
Wheeler	0	0.0	531
Wichita	1	495.0	354
Wilbarger	4	485.9	284
Willacy	6	492.7	212
Williamson	6	492.0	80
Wilson	0	0.0	403
Yoakum	5	486.1	51
Young	1	485.0	407
Zavala	3	487.2	275
Texas	391	492.6	
Accomack	0	0.0	486
Brunswick	0	0.0	548
Charles City	0	0.0	345
Chesapeake c	0	0.0	538
Dinwiddie	0	0.0	395
Greensville	1	490.1	253
Henrico	0	0.0	602
Isle of Wigh	2	491.2	223
King William	0	0.0	487
Lancaster	0	0.0	639
New Kent	0	0.0	490
Northampton	0	0.0	439
Northumberla	0	0.0	496
Prince Georg	0	0.0	505
Southampton	0	0.0	92
Suffolk City	1	469.3	183
Surry	0	0.0	306
Sussex	0	0.0	260
Virginia Bea	0	0.0	491
Virginia	4	489.4	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1995 (continued)

County and State	:	Number of Active Gins	:	Average Weight per Running Bale Ginned	:	Rank by Running Bales Produced
	:	Number	:	Pounds	:	Rank
US Total	:	1,274	:	491.6	:	

1/ County ranking withheld to avoid disclosing individual data.

Note: County of origin was not determined for 209,850 bales in the U.S.,
and ranking may be affected.

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 1995

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
All cotton	:		:		:	
US 1/	:	1,274	:	CA	:	109
1 - 2,999	:	199	:	1 - 2,999	:	3
3,000 - 4,999	:	134	:	3,000 - 4,999	:	1
5,000 - 6,999	:	109	:	5,000 - 6,999	:	5
7,000 - 9,999	:	134	:	7,000 - 9,999	:	5
10,000 - 14,999	:	196	:	10,000 - 14,999	:	17
15,000 - 19,999	:	149	:	15,000 - 19,999	:	22
20,000 - 39,999	:	258	:	20,000 - 39,999	:	38
40,000 - and over	:	86	:	40,000 - and over	:	18
AL	:	61	:	GA	:	79
1 - 2,999	:	22	:	1 - 2,999	:	2
3,000 - 4,999	:	11	:	3,000 - 4,999	:	2
5,000 - 6,999	:	8	:	5,000 - 6,999	:	4
7,000 - 9,999	:	7	:	7,000 - 9,999	:	7
10,000 - 14,999	:	3	:	10,000 - 14,999	:	9
15,000 - 19,999	:	3	:	15,000 - 19,999	:	8
20,000 - 39,999	:	6	:	20,000 - 39,999	:	28
40,000 - and over	:	1	:	40,000 - and over	:	19
AZ	:	63	:	LA	:	75
1 - 2,999	:	9	:	1 - 2,999	:	1
3,000 - 4,999	:	2	:	3,000 - 4,999	:	7
5,000 - 6,999	:	6	:	5,000 - 6,999	:	5
7,000 - 9,999	:	4	:	7,000 - 9,999	:	9
10,000 - 14,999	:	8	:	10,000 - 14,999	:	10
15,000 - 19,999	:	11	:	15,000 - 19,999	:	14
20,000 - 39,999	:	16	:	20,000 - 39,999	:	22
40,000 - and over	:	7	:	40,000 - and over	:	7
AR	:	100	:	MS	:	137
1 - 2,999	:	8	:	1 - 2,999	:	13
3,000 - 4,999	:	13	:	3,000 - 4,999	:	12
5,000 - 6,999	:	7	:	5,000 - 6,999	:	13
7,000 - 9,999	:	7	:	7,000 - 9,999	:	25
10,000 - 14,999	:	22	:	10,000 - 14,999	:	25
15,000 - 19,999	:	15	:	15,000 - 19,999	:	16
20,000 - 39,999	:	24	:	20,000 - 39,999	:	29
40,000 - and over	:	4	:	40,000 - and over	:	4

-- continued


Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 1995 (continued)

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
MO	:	35	:	SC	:	40
1 - 2,999	:	1	:	1 - 2,999	:	9
3,000 - 4,999	:	1	:	3,000 - 4,999	:	4
5,000 - 6,999	:	8	:	5,000 - 6,999	:	8
7,000 - 9,999	:	5	:	7,000 - 9,999	:	9
10,000 - 14,999	:	8	:	10,000 - 14,999	:	1
15,000 - 19,999	:	3	:	15,000 - 19,999	:	5
20,000 - 39,999	:	9	:	20,000 - 39,999	:	4
40,000 - and over	:	0	:	40,000 - and over	:	0
NM	:	18	:	TN	:	48
1 - 2,999	:	8	:	1 - 2,999	:	1
3,000 - 4,999	:	4	:	3,000 - 4,999	:	5
5,000 - 6,999	:	1	:	5,000 - 6,999	:	6
7,000 - 9,999	:	2	:	7,000 - 9,999	:	5
10,000 - 14,999	:	3	:	10,000 - 14,999	:	11
15,000 - 19,999	:	0	:	15,000 - 19,999	:	8
20,000 - 39,999	:	0	:	20,000 - 39,999	:	11
40,000 - and over	:	0	:	40,000 - and over	:	1
NC	:	57	:	TX	:	391
1 - 2,999	:	7	:	1 - 2,999	:	78
3,000 - 4,999	:	2	:	3,000 - 4,999	:	62
5,000 - 6,999	:	0	:	5,000 - 6,999	:	32
7,000 - 9,999	:	6	:	7,000 - 9,999	:	42
10,000 - 14,999	:	13	:	10,000 - 14,999	:	66
15,000 - 19,999	:	7	:	15,000 - 19,999	:	37
20,000 - 39,999	:	20	:	20,000 - 39,999	:	51
40,000 - and over	:	2	:	40,000 - and over	:	23
OK	:	52	:		:	
1 - 2,999	:	37	:		:	
3,000 - 4,999	:	8	:		:	
5,000 - 6,999	:	6	:		:	
7,000 - 9,999	:	1	:		:	
10,000 - 14,999	:	0	:		:	
15,000 - 19,999	:	0	:		:	
20,000 - 39,999	:	0	:		:	
40,000 - and over	:	0	:		:	

1/ Total number of operating gins, including 4 gins in Florida and Virginia, and 1 gin in Kansas.

1995 All Cotton Ginnings

Percent of U.S. Crop Ginned




U.S. Total Ginnings - 17,468,500 Bales


--- Not Disclosed

1995 All Cotton Ginnings

Arizona



1995 All Cotton Ginnings Arkansas



Bales Ginned

Not published

20,000 to 99,999

100,000 to 139,999


140,000 to 174,999

175,000 and above

Total Ginnings 1,452,900 Bales


1995 All Cotton Ginnings

California




1995 All Cotton Ginnings

Louisiana




1995 All Cotton Ginnings

Mississippi



1995 All Cotton Ginnings

Texas



Cotton Ginnings 1995: A total of 17.5 million running bales were ginned during the 1995 season, 9 percent less than 1994's record high ginnings of 19.1 million bales. The crop was characterized by drought, high temperatures, and insects in the Delta and Southeast regions. California was subject to cool, wet spring weather, delaying plantings and crop development.

There were 1,274 active cotton gins during the 1995 season, down from the 1,306 that operated in 1994. Although there were only 2 percent fewer active gins compared to 1994, the smaller crop and continued changes to high-speed ginning equipment, allowed gins to keep pace with the harvest. There were 344 gins processing more than 20,000 bales in 1995, 86 of these processed at least 40,000 bales.

Cotton, 1995 Final: All cotton production in the United States totaled 17.9 million bales in 1995, 9 percent below 1994's record high production. The 1995 output was the fourth largest crop on record. Upland cotton production, at 17.5 million bales, was 9 percent less than the previous year, while American-Pima production totaled 367,600 bales, up 9 percent from 1994.

The area planted to all cotton totaled 16.9 million acres, up 23 percent from 1994, and the largest since 1956. Harvested area, at 16.0 million acres, was up 20 percent from the previous year and the largest since 1955. Abandonment totaled 5 percent compared with 3 percent in 1994. Yields for the U.S. averaged 537 pounds, down from the record high 708 pounds per acre realized in 1994.

The Delta States' 1995 output decreased 14 percent from the 1994 production, to 5.92 million bales and was subject to drought, extreme high temperatures, and insect infestations. Plantings were delayed early in the season due to excessive rainfall. In June, the pace equaled the average. Boll counts and weights were among the lowest of the past 10 years, resulting in a low yielding crop. Yields averaged 602 pounds, down 216 pounds from one year earlier.

Production in the Southeast, at 3.61 million bales, was up 4 percent from 1994, due to a 58 percent increase in harvested acreage. Yields averaged 539 pounds, 282 pounds less than the previous year. Hot, dry conditions caused poor crop development, and excessive rains during the fall in the Carolina's delayed harvest, and caused high boll loss.

The Western States Upland production totaled 3.18 million bales, an 11 percent decrease from 1994's output, although harvested acreage increased 9 percent from a year earlier. Early season rains and cool temperatures in both States delayed plantings, which resulted in lower yields. Boll numbers and weights were much less than anticipated earlier in the season.

The Texas-Oklahoma Upland production, at 4.58 million bales, was 11 percent below the previous year's output. Plantings were delayed because of dry conditions, and in early June, heavy rains and hail caused replanting. A cool September with the highest rainfall in 60 years in the West Texas growing region, lowered potential yields from earlier expectations. Texas producers harvested 90 percent of the planted acreage, compared to 94 percent 1994 and 91 percent in 1993. Yields for these two States decreased 88 pounds from one year earlier, to 363 pounds.

Cottonseed: Cottonseed production in 1995 totaled 6.85 million tons, down 10 percent from 1994.

Released May 10, 1996, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "Cotton Ginnings Summary" call Roger Latham at (202) 720-5944, office hours 8:00 a.m. to 4:30 p.m. ET. For assistance with general agricultural statistics, information about NASS, its products or services, contact the NASS Information Hotline at 1-800-727-9540 or E-mail: NASS@NASS.USDA.GOV.

The next "Cotton Ginnings Summary" report will be released in May 1997.

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD).

To file a complaint, write the Secretary of Agriculture, USDA, Washington, D.C., 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

SUBSCRIBE TODAY!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are now available free of charge on the worldwide Internet. For access, connect to the Internet and select:

1. Worldwide Web:
http://www.usda.gov/nass/ OR
2. For Gopher/Telenet/FTP access:
HOST=usda.mannlib.cornell.edu OR
3. For a subscription direct to your e-mail address,
send an e-mail message to:
usda-reports@usda.mannlib.cornell.edu
and in the body of the message type the word: list

PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 1-800-999-6779 (U.S. and Canada)
Other areas, please call 1-703-834-0125 FAX: 1-703-834-0110
(Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For assistance with general agricultural statistics or further information about NASS or its products or services, contact the NASS INFORMATION HOTLINE at 1-800-727-9540, 8:00 a.m. to 4:30 p.m., or e-mail: NASS@NASS.USDA.GOV.
